



Legend	
	Alerts, Recalls, & Shortages
	Look Alike Sound Alike Drugs
	Drug Substitution
	Notes/Comments
{P}	Preferred
{R}	Restricted
{S}	Status Pending
{TI}	Therapeutic Interchange

acetaminophen

oral, liquid	80 mg/0.8 mL, 160 mg/5 mL
oral, tablet	325 mg {R: see note}
oral, tablet, chewable	80 mg

Feverall (acetaminophen)
 ASHP has recently posted a shortage pertaining to this drug. Please view the link for further details to see if this applies to your facility
<http://www.ashp.org/Import/PRACTICEANDPOLICY/PracticeResourceCenters/DrugShortages/GettingStarted/CurrentShortages/Bulletin.aspx?id=660>
 {R}- Restriction: APAP 325mg tablets for children less than 16 years of age,

acetaminophen-codeine

oral, liquid	120 mg-12 mg/5 mL
oral, tablet	300 mg-30 mg

acetaminophen-hydrocodone, **acetaminophen-oxycodone**

acetaminophen-HYDROcodone

oral, elixir	500 mg-7.5 mg/15 mL {R: See Note}
oral, tablet	500 mg-7.5 mg

acetaminophen-codeine

Lortab Elixir Restricted to ENT Providers after pediatric postop

tonsillectomies.

acetaminophen-oxycODONE

oral, tablet	325 mg-5 mg
--------------	-------------

acetaminophen-codeine

acetaZOLAMIDE

injectable, powder for injection	500 mg
oral, capsule, extended release	500 mg
oral, tablet	250 mg

acetic acid-aluminum acetate otic

otic, solution	2%-0.79%
----------------	----------

acetylcysteine

inhalation, solution	20%
----------------------	-----

acyclovir

oral, suspension	200 mg/5 mL
oral, capsule	200 mg
oral, tablet	800 mg

adalimumab

subcutaneous, kit	40 mg/0.8 mL {R: See Note}
-------------------	----------------------------

New start requires Rheumatology consultation. Primary care providers are permitted to write for refills, but new start prescriptions require rheumatologic consultation (phone consults are accepted). As a reminder, our **Adult Rheumatology Clinic is now fully operational.**

albuterol

inhalation, solution	5 mg/mL, 1.25 mg/3 mL (0.042%) {R: Inpt Use Only}, 2.5 mg/3 mL (0.083%)
inhalation, aerosol	90 mcg/inh

(Albuterol)

ASHP has recently posted a shortage pertaining to this drug. Please view the link for further details to see if this applies to your facility.
http://www.ashp.org/s_ashp/bulletin.asp?id=112&CID=1500&DID=1544&sort=2

acebutolol

albuterol-ipratropium

inhalation, solution	2.5 mg-0.5 mg/3 mL
----------------------	--------------------

alendronate

oral, tablet	10 mg, 70 mg
--------------	--------------

alendronate-cholecalciferol

oral, tablet 70 mg-5600 intl units

allantoin/camphor/phenol topical

topical, ointment 1%-0.5%-0.5% {R: Inpatient Use Only}

allopurinol ⚠

oral, tablet 100 mg, 300 mg

ALPRAZolam

oral, tablet 0.25 mg, 0.5 mg

☞ clonazepam, diazepam, lorazepam

aluminum hydroxide

oral, suspension 600 mg/5 mL

☑ Inpatient and Dinnebito Clinic use only

aluminum sulfate-calcium acetate topical

topical, powder for reconstitution - {R: Inpt, Grp.Home, Dinnebito}

amantadine

oral, syrup 50 mg/5 mL

oral, capsule 100 mg

☞ amiodarone, ranitidine, rimantadine

amcinonide topical

topical, ointment 0.1% {TI: See Note}

☑ 1)**For Dr. DeCapite's patients**- either triamcinolone 0.5% ointment or fluocinonide 0.05% cream, depending on the patient's preference for a cream vs. ointment. **If the patient has no preference or you cannot contact him/her, please use triamcinolone 0.5% ointment.**

2)**For anyone else's patients- switch to triamcinolone 0.5% ointment** Use "**per P&T decision**" as the reason for discontinuing amcinonide. We will do this until further notice.

amiodarone ⚠

oral, tablet 200 mg

amitriptyline

oral, tablet 10 mg, 25 mg, 50 mg

☞ aminophylline, imipramine, nortriptyline

amLODIPine

oral, tablet 5 mg, 10 mg

☞ amiloride, amiodarone, felodipine

amoxicillin

oral, capsule 250 mg, 500 mg

oral, powder for reconstitution 250 mg/5 mL

☞ Amoxil, ampicillin, Atarax, Augmentin

amoxicillin-clavulanate

oral, powder for reconstitution 600 mg-42.9 mg/5 mL

oral, tablet 250 mg-125 mg, 500 mg-125 mg, 875 mg-125 mg

amphetamine-dextroamphetamine ⚠

oral, capsule, extended release 10 mg, 15 mg

oral, tablet 5 mg



Dextroamphetamine Tablets (dextroamphetamine)

ASHP has recently posted a shortage pertaining to this drug. Please view the link for further details to see if this applies to your facility.

<http://www.ashp.org/DrugShortages/Current/Bulletin.aspx?id=853>

antipyrine-benzocaine otic

otic, solution 54 mg-14 mg/mL

APAP/butalbital/caffeine

oral, tablet 325 mg-50 mg-40 mg

apraclonidine ophthalmic

ophthalmic, solution 1%

ARIPiprazole

oral, tablet 2 mg {R: Mental Hlth. Dept. only}, 5 mg {R: Mental Hlth. Dept. only}, 20 mg {R: Mental Hlth. Dept. only}, 30 mg {R: Mental Hlth. Dept. only}

ascorbic acid ⚠

oral, tablet 500 mg {R: Inpt, Grp.Home, Dinnebito}



Ascorbic Acid Injection (ascorbic acid)

ASHP has recently posted a shortage pertaining to this drug. Please view the link for further details to see if this applies to your facility.

<http://www.ashp.org/DrugShortages/Current/Bulletin.aspx?id=934>

aspirin

oral, delayed release tablet 81 mg, 325 mg

oral, tablet 325 mg

oral, tablet, chewable 81 mg

rectal, suppository 300 mg, 600 mg

atenolol

oral, tablet 25 mg, 50 mg

☞ metoprolol












☞ Akarpine










atropine ophthalmic















ophthalmic, solution 1%

atropine-diphenoxylate	
oral, tablet	0.025 mg-2.5 mg {R: see note}
☒ NOT for use with simple diarrhea	
azaTHIOprine ⚠	
oral, tablet	50 mg
⚠	
azithromycin ⚠	
oral, powder for reconstitution	1 g {R: For Chlamydia Only}, 200 mg/5 mL
oral, tablet	250 mg {R: See Note}
☒ Azithromycin remains on the formulary, however it is now restricted for use in the treatments of: Pneumonia. Bacterial Bronchitis in patients with chronic lung disease/interstitial lung disease. Infections in Immunocompromised patients. Infections in patients with endstage renal disease on dialysis. Infections that have failed other first line treatments. STDs. P&T update 05/2012: Usage approved for Empiric treatment of pertussis & prophylaxis for close contacts.	
bacitracin-polymyxin B ophthalmic	
ophthalmic, ointment	500 units-10000 units/g
baclofen	
oral, tablet	10 mg
barium sulfate ⚠	
oral, suspension	2.1% {See Note}, 40% {See Note}
⚠	
Barium Sulfate Oral Suspension (barium sulfate)	
ASHP has recently posted a shortage pertaining to this drug. Please view the link for further details to see if this applies to your facility.	
http://www.ashp.org/DrugShortages/Current/Bulletin.aspx?id=963	
☒ BASIC ORAL CONTRAST GUIDELINES	
CT Abdomen (Outpatient Prescriptions): 1 bottle of Readi-Cat	
CT Abdominal/Pelvic (Outpatient Prescriptions): 2 bottles of Readi-Cat	
(All Emergency Room and Inpatient Prescriptions will receive Gastroview 1000mL or 1500mL as per previous Guidelines.)	
CT Colongraphy: Tagitol V with BE Prep Kit (If Tagitol V is NOT available, may substitute 1 bottle of Readi-Cat to be divided into 3 doses: 1/3 bottle at breakfast, 1/3 bottle at Noon, and 1/3 bottle with Evening Meal the day BEFORE the scan, AND 65mL of Gastrografin to be taken with NOON meal the day BEFORE the scan.	
Colonoscopy: Golytely	
becaplermin topical	

topical, gel	0.01%
beclomethasone	
inhalation, aerosol	80 mcg/inh
belladonna-opium	
rectal, suppository	16.2 mg-60 mg
benzonatate	
oral, capsule	100 mg
☒ benazepril, benztropine	
benzoyl peroxide-erythromycin topical	
topical, gel	5%-3%
benztropine	
oral, tablet	2 mg
☒ benzonatate	
betamethasone topical	
topical, lotion	dipropionate 0.05%
bimatoprost ophthalmic	
ophthalmic, solution	0.03% {R: For Eye Clinic Use ONLY}
bisacodyl ⚠	
oral, delayed release tablet	5 mg {R: see note}
rectal, suppository	10 mg {R: See Note}
⚠	
Fleet Bisacodyl (bisacodyl)	
ASHP has recently posted a shortage pertaining to this drug. Please view the link for further details to see if this applies to your facility.	
http://www.ashp.org/DrugShortages/Current/Bulletin.aspx?id=760	
☒ bisoprolol, Visicol	
☒ {R}-Restricted: Bowel Preps or Spinal Patients on Bowel Program only	
bismuth subsalicylate	
oral, suspension	262 mg/15 mL {Inpatient Use Only}
oral, tablet, chewable	262 mg {R: H. Pylori only}
brimonidine ophthalmic	
ophthalmic, solution	0.15%, 0.2%
brinzolamide ophthalmic	
ophthalmic, suspension	1%
bromocriptine	
oral, tablet	2.5 mg
budesonide	
inhalation, suspension	0.25 mg/2 mL, 0.5 mg/2 mL
buPROPion	
oral, tablet	75 mg
oral, tablet, extended release	150 mg/12 hours, 150 mg/24 hours, 300 mg/24 hours

 busPIRone	
 Use for Smoking Cessation will NOT be honored	
busPIRone	
oral, tablet	5 mg, 10 mg
 buPROPion	
caffeine 	
oral, liquid	citrate 20 mg/mL
	
Cafcit (caffeine citrate)	
calcipotriene topical	
topical, cream	0.005%
calcitonin	
nasal, spray	200 intl units/inh
calcitriol	
oral, capsule	0.25 mcg
oral, liquid	1 mcg/mL
 Calciferol	
calcium acetate 	
oral, tablet	667 mg
calcium carbonate	
oral, tablet	500 mg {R: see note}
 calcium acetate, calcium gluconate	
 {R}- Restricted: Diagnosis of Osteoporosis, Osteopenia or Metabolic Disorders causing Hypocalcemia and High School Clinic Patients on Depo-Provera	
carBAMazepine	
oral, suspension	100 mg/5 mL
oral, tablet	200 mg
oral, tablet, chewable	100 mg
carbidopa-levodopa	
oral, tablet	10 mg-100 mg, 25 mg-100 mg, 25 mg-250 mg
oral, tablet, extended release	50 mg-200 mg
carteolol ophthalmic	
ophthalmic, solution	1%
carvedilol	
oral, tablet	3.125 mg {R: see note}, 6.25 mg {R: see note}, 12.5 mg {R: see note}, 25 mg {R: see note}
 captopril, carteolol	
 Restricted to patients w/ Refractory CHF with EF of 30-35% or less.	

cefdinir	
oral, powder for reconstitution	250 mg/5 mL {R: See Note}
 Suspension: Available for use in pediatric pneumonia or resistant otitis media	
cefixime	
oral, tablet	400 mg {R: For Documented Gonorrhea}
cefpodoxime 	
oral, powder for reconstitution	50 mg/5 mL {R: see note}
oral, tablet	200 mg {R: see note}
	
Cefpodoxime (cefpodoxime)	
ASHP has recently posted a shortage pertaining to this drug. Please view the link for further details to see if this applies to your facility.	
http://www.ashp.org/DrugShortages/Current/Bulletin.aspx?id=793	
 cefixime	
 Tablet: Restricted to use only for IV to PO step down therapy in pneumonia	
Suspension: Available for use in pediatric pneumonia or resistant otitis media	
cephalexin	
oral, capsule	250 mg, 500 mg
oral, powder for reconstitution	250 mg/5 mL
 cefaclor, cefazolin, cefuroxime, ciprofloxacin	
charcoal	
oral, suspension	25 g
charcoal-sorbitol	
oral, suspension	25 g
chlordiazepOXIDE	
oral, capsule	25 mg
 chlorproMAZINE	
chlorhexidine topical	
mucous membrane, liquid	0.12%
topical, soap	4% {R: Inpatient Use Only}
 chlorproMAZINE	
chlorothiazide	
oral, suspension	250 mg/5 mL
chlorproMAZINE	
oral, tablet	25 mg, 50 mg
 chlordiazepoxide, chlorhexidine topical, chlorproPAMIDE, chlorthalidone, prochlorperazine, thioridazine	

chlorthalidone		oral, tablet	25 mg	oral, tablet	0.1 mg, 0.2 mg
 chlorproMAZINE				transdermal, film, extended release	0.1 mg/24 hr, 0.2 mg/24 hr
cholecalciferol		oral, tablet	400 intl units {R}	 Cardizem, clonazepam, colchicine, Klonopin	
 NON-FORMULARY: Vitamin D 400 units				clodigrel	
RESTRICTED: Vitamin D 800 units (400 units x 2) for osteoporosis, osteopenia, Vitamin D deficiency maintenance therapy				oral, tablet	75 mg
ciprofloxacin 		oral, tablet	250 mg {limited supply. On B/O}, 500 mg {limited supply. On B/O}	clorazepate	
				oral, tablet	3.75 mg
				 clonazepam	
ciprofloxacin ophthalmic		ophthalmic, solution	0.3%	clotrimazole topical	
ciprofloxacin-dexamethasone otic		otic, suspension	0.3%-0.1% {R: TO: ENT Only}	topical, cream	1% {R: see note}
citalopram		oral, tablet	20 mg, 40 mg	topical, solution	1%
 escitalopram				cloZAPine	
clarithromycin 		oral, powder for reconstitution	250 mg/5 mL	oral, tablet	25 mg, 100 mg
		oral, tablet	250 mg {R: see note}, 500 mg {R: see note}	cocaine topical	
				topical, solution	4%
clindamycin				codeine	
		oral, capsule	150 mg	oral, tablet	sulfate 30 mg
		oral, powder for reconstitution	75 mg/5 mL	 Cardene, iodine topical, Lodine	
clindamycin topical				colchicine	
topical, gel				oral, tablet	0.6 mg
clobetasol topical				 clonidine	
topical, ointment				colestipol	
clomiPHENE				oral, granule for reconstitution	5 g
oral, tablet				collagenase topical	
 clomiPRAMINE				topical, ointment	250 units/g
				conjugated estrogens	
clomiPRAMINE		oral, capsule	25 mg, 50 mg	oral, tablet	0.3 mg, 0.625 mg, 1.25 mg
 clomiPHENE, desipramine				conjugated estrogens topical	
clonazepam		oral, tablet	0.5 mg, 1 mg	vaginal, cream with applicator	0.625 mg/g
 alprazolam, clonidine, clorazepate, diazepam, Klonopin, lorazepam				conjugated estrogens-medroxyPROGESTERone	
cloNIDine				oral, tablet	0.625 mg-2.5 mg
				cyanocobalamin 	
				oral, tablet	1000 mcg
				cyclobenzaprine	
		oral, tablet	10 mg	oral, tablet	10 mg
				 cetirizine, cyproheptadine	
				cyclopentolate ophthalmic	

<u>ophthalmic, solution</u>	1%	<u>oral, tablet</u>	5 mg
cycloSPORINE		<u>dibucaine topical</u>	
<u>oral, solution</u>	100 mg/mL	<u>topical, ointment</u>	1%
<u>oral, capsule</u>	modified 25 mg, modified 100 mg	<u>diclofenac</u>	
<u>cycloSPORINE ophthalmic</u>		<u>oral, delayed release tablet</u>	sodium 50 mg, sodium 75 mg
<u>ophthalmic, emulsion</u>	0.05% {R: Eye Clinic use only}	<u>diclofenac topical</u>	
<u>cyproheptadine</u>		<u>topical, gel</u>	1%
<u>oral, syrup</u>	2 mg/5 mL	<u>dicloxacillin</u>	
<u>oral, tablet</u>	4 mg	<u>oral, capsule</u>	250 mg
<u>cyclobenzaprine</u>		<u>doxycycline</u>	
<u>danazol</u>		<u>dicyclomine</u>	
<u>oral, capsule</u>	100 mg, 200 mg	<u>oral, capsule</u>	10 mg
<u>Dantrium</u>		<u>demeclocycline, diphenhydrAMINE</u>	
<u>dantrolene</u>		<u>digoxin</u>	
<u>oral, capsule</u>	25 mg	<u>oral, elixir</u>	50 mcg/mL (0.05 mg/mL)
<u>dapsone</u>		<u>oral, tablet</u>	125 mcg (0.125 mg), 250 mcg (0.25 mg)
<u>oral, tablet</u>	100 mg	<u>doxepin</u>	
		<u>diltiazem</u>	
<u>desflurane</u>		<u>oral, capsule, extended release</u>	120 mg/24 hours, 180 mg/24 hours, 240 mg/24 hours
<u>inhalation, liquid</u>	100%	<u>oral, tablet</u>	30 mg
<u>desipramine</u>			
<u>oral, tablet</u>	25 mg, 50 mg	<u>diphenhydrAMINE</u>	
<u>clomiPRAMINE, imipramine, nortriptyline</u>		<u>oral, capsule</u>	25 mg {R: Inpt, Grp.Home, Dinnebito}
<u>desogestrel-ethinyl estradiol</u>		<u>oral, liquid</u>	12.5 mg/5 mL {R: Inpt, Grp.Home, Dinnebito}
<u>oral, tablet</u>	0.15 mg-0.03 mg {Reclipsen}	<u>dicyclomine, dipyridamole</u>	
<u>dexamethasone/neomycin/polymyxin B ophthalmic</u>		<u>dipyridamole</u>	
<u>ophthalmic, suspension</u>	1 mg-3.5 mg-10000 units/mL {R: Eye Clinic Use Only}	<u>oral, tablet</u>	25 mg
<u>ophthalmic, ointment</u>	1 mg-3.5 mg-10000 units/g {R: Eye Clinic Use Only}	<u>disulfiram</u>	
<u>dexamethasone-tobramycin ophthalmic</u>		<u>oral, tablet</u>	250 mg
<u>ophthalmic, suspension</u>	0.1%-0.3% {R: Eye Clinic Use Only}	<u>divalproex sodium</u>	
<u>dextroamphetamine</u>		<u>oral, delayed release capsule</u>	125 mg
<u>oral, capsule, extended release</u>	15 mg	<u>oral, delayed release tablet</u>	250 mg, 500 mg
<u>oral, tablet</u>	5 mg	<u>docusate</u>	
<u>dextroamphetamine-amphetamine</u>		<u>oral, capsule</u>	sodium 100 mg {R: see note}
<u>dextromethorphan-guaiFENesin</u>		<u>oral, liquid</u>	10 mg/mL {R: see note}
<u>oral, liquid</u>	10 mg-100 mg/5 mL {R: Inpt, Grp.Home, Dinnebito}		
<u>diazepam</u>			

{R}-Restricted: For use in post-operative patients or active bleeding hemorrhoids, or spinal patients on bowel program

doxepin	oral, capsule	10 mg, 25 mg, 50 mg
digoxin, doxycycline		
doxycycline		
	oral, capsule	hyclate 100 mg
	oral, tablet	hyclate 100 mg
Doxycycline Capsules and Tablets (doxycycline) ASHP has recently posted a shortage pertaining to this drug. Please view the link for further details to see if this applies to your facility. http://www.ashp.org/DrugShortages/Current/Bulletin.aspx?id=977		
drospirenone-ethinyl estradiol	oral, tablet	3 mg-0.02 mg {R: Patients w/ PCOS & PMDD}
DULoxetine	oral, delayed release capsule	20 mg, 30 mg
econazole topical	topical, cream	1%
efavirenz	oral, capsule	200 mg
efavirenz/emtricitabine/tenofovir	oral, tablet	600 mg-200 mg-300 mg
emollients, topical		
	topical, cream	- {R: age < 18 yrs.}
	topical, gel	- {R}
Surgilube (emollients, topical) ASHP has recently posted a shortage pertaining to this drug. Please view the link for further details to see if this applies to your facility. http://www.ashp.org/DrugShortages/Current/Bulletin.aspx?id=822		
{R}-Hydrocortin is restricted Pediatric patients with eczema.{R}- Surgilube restricted to OR.		
emtricitabine-tenofovir	oral, tablet	200 mg-300 mg
epinephrine		
EPINEPHrine		
	injectable, kit	0.15 mg, 0.3 mg

epoetin alfa	injectable, solution	10000 units/mL, 20000 units/mL
ergocalciferol	oral, capsule	50,000 intl units {For Vitamin D Deficiency}
erythromycin		
	oral, granule for reconstitution	ethylsuccinate 200 mg/5 mL
	oral, tablet	stearate 250 mg
erythromycin ophthalmic	ophthalmic, ointment	0.5%
erythromycin-sulfisoxazole	oral, granule for reconstitution	200 mg-600 mg/5 mL
estradiol	oral, tablet	1 mg
etanercept	subcutaneous, solution	25 mg/0.5 mL {R: See Note}, 50 mg/mL {R: See Note}
New start requires Rheumatology consultation. Primary care providers are permitted to write for refills, but new start prescriptions require rheumatologic consultation (phone consults are accepted). As a reminder, our Adult Rheumatology Clinic is now fully operational.		
ethacrynic acid	oral, tablet	25 mg
ethambutol	oral, tablet	400 mg
ethinyl estradiol-etonogestrel	vaginal, ring	0.015 mg-0.120 mg
ethinyl estradiol-levonorgestrel	oral, tablet	triphasic {Enpresse}, 20 mcg-100 mcg {Sronyx}, 30 mcg-0.15 mg {Nordette}
ethinyl estradiol-norelgestromin	transdermal, film, extended release	20 mcg-150 mcg/24 hr
ethinyl estradiol-norethindrone	oral, tablet	20 mcg-1 mg {Loestrin Fe 1/20}, 35 mcg-1 mg {Norinyl 1/35}
ethosuximide	oral, syrup	250 mg/5 mL
ethyl chloride topical	topical, spray	100%

Eye Wash

ophthalmic, solution	neutral {R: In-hospital use only}
ezetimibe	
oral, tablet	10 mg

fenofibrate

oral, tablet	50 mg, 160 mg
--------------	---------------

Tricor has been removed from the formulary effective October 1st. **All prescriptions for Tricor 48 mg (\$0.71/per pill) will automatically be switched to Triglide 50 mg (\$0.39/per pill). All prescriptions for Tricor 145 mg (\$2.10/per pill) will be switched to Triglide 160 mg (\$0.46/per pill).** Triglide is a different brand of generic Fenofibrate that is significantly cheaper with similar effectiveness. **Pharmacy will not be calling providers for permission to make this switch; it will be automatic. Pharmacists will also have permission to document this change on the Chronic Medication List.**

fentaNYL ⚠

transdermal, film, extended release	25 mcg/hr, 50 mcg/hr, 100 mcg/hr
-------------------------------------	----------------------------------

ferrous gluconate

oral, tablet	324 mg {R: Inpt, Grp.Home, Dinnebito}
--------------	---------------------------------------

ferrous sulfate

oral, liquid	75 mg/0.6 mL {SEE NOTE}
oral, tablet	325 mg {SEE NOTE}

***Ferrous Sulfate Liquid 75mg/0.6ml = 15mg/0.6ml Elemental Iron
 ***Ferrous Sulfate Tablets 325mg/tablet = 65mg/tablet Elemental Iron

filgrastim

injectable, solution	300 mcg/mL
----------------------	------------

finasteride

oral, tablet	5 mg
--------------	------

fluconazole ⚠

oral, powder for reconstitution	10 mg/mL
oral, tablet	200 mg

fludrocortisone

oral, tablet	0.1 mg
--------------	--------

flunisolide nasal

nasal, spray	25 mcg/inh
--------------	------------

fluocinonide topical

topical, cream	0.05%
topical, solution	0.05% {R: For Dermatology Use Only}
☞ fluocinolone topical, fluorouracil	

fluorescein ophthalmic

ophthalmic, test	1 mg
------------------	------

fluoride ⚠

oral, liquid	0.25 mg/drop
oral, tablet, chewable	0.5 mg

FLUoxetine

oral, capsule	10 mg, 20 mg
oral, delayed release capsule	90 mg

☞ famotidine, fluphenazine, fluvastatin, fluvoxamine, furosemide, paroxetine

fluPHENAZine

oral, tablet	2.5 mg, 5 mg, 10 mg
☞ fluoxetine, perphenazine, trifluoperazine	

flurandrenolide topical

topical, lotion	0.05%
-----------------	-------

fluticasone ⚠

inhalation, aerosol	CFC free 110 mcg/inh, CFC free 220 mcg/inh
---------------------	--

fluticasone nasal

nasal, spray	50 mcg/inh
--------------	------------

fluticasone-salmeterol

inhalation, powder	100 mcg-50 mcg {R}, 250 mcg-50 mcg {R}, 500 mcg-50 mcg {R}
--------------------	--

☞ For patients **already** on **Flovent and Serevent** since it is cheaper than the cost of the two inhalers separately. The Committee emphasized that **not** all patients need an inhaled corticosteroid of the potency of Flovent. Patients who are controlled on lower potency inhaled steroids should **not** be switched to Advair. Providers **must** write for the change in inhaler if it is desired. *Close monitoring of use will be done.*

folic acid ⚠

oral, tablet	1 mg
--------------	------

formoterol-mometasone

inhalation, aerosol	5 mcg-100 mcg/inh {See Note}, 5
---------------------	---------------------------------

furosemide ⚠️	
oral, solution	40 mg/5 mL
oral, tablet	20 mg, 40 mg
gabapentin	
oral, capsule	100 mg, 300 mg
oral, tablet	300 mg, 600 mg
ganciclovir ophthalmic	
ophthalmic, gel	0.15%
<i>Restricted to Eye Providers Only.</i>	
gastrografin	
compounding, solution	37%
gemfibrozil ⚠️	
oral, tablet	600 mg {TI: see note}
glipiZIDE	
oral, tablet	5 mg, 10 mg
☞ glyBURIDE	
glyBURIDE	
oral, tablet	5 mg
☞ glipiZIDE, Glucotrol	
glycopyrrolate ⚠️	
oral, tablet	1 mg
gramicidin/neomycin/polymyxin B ophthalmic	
ophthalmic, solution	0.025 mg-1.75 mg-10000 units/mL
griseofulvin	
oral, suspension	microcrystalline 125 mg/5 mL
oral, tablet	ultramicrocrystalline 250 mg
guanFACINE	
oral, tablet	1 mg {R: See Note}
☞ guaifenesin	
📖 Restricted to Mental Health	
H. Pylori (Clarithromycin/Amoxicillin/Omeprazole)	
oral, combination	500mg/1000mg/20mg
📖	
First Line H. Pylori Regimen for Adults:	
Clarithromycin 500mg PO BID for 14 days	
Amoxicillin 500mg x 2 (1000mg) PO BID for 14 days	
Omeprazole 20mg PO BID for 14 days	

For allergies to Penicillins:
 Clarithromycin 500mg PO BID for 14 days
 Metronidazole 250mg x 2 (500mg) PO BID for 14 days
 Omeprazole 20mg PO BID for 14 days

H. Pylori Regimen for Dialysis Patients
 Half the Dose of Clarithromycin (250mg)

H. Pylori Regimen for Pediatric Patients
 Amoxicillin 250mg PO TID for 14 days
 Clarithromycin 500mg x 1/2 tablet (250mg) PO BID for 14 days
 Omeprazole 20mg PO QDAY for 14 days

haemophilus b conjugate (PRP-OMP) vaccine
 intramuscular, suspension 7.5 mcg-125 mcg/0.5 mL

haloperidol
 oral, tablet 1 mg, 2 mg, 5 mg, 10 mg

hepatitis A adult vaccine ⚠️
 intramuscular, suspension 1440 units/mL

hepatitis A pediatric vaccine
 intramuscular, suspension 720 units/0.5 mL

hepatitis B immune globulin
 intramuscular, solution -

hepatitis B vaccine (obsolete) ⚠️
 intramuscular, suspension adult 20 mcg/mL

human papillomavirus vaccine
 intramuscular, suspension type 6,11,16,18 {R: See Note}
 📖 Restricted to Vaccine Clinic (not on formulary. Manufactured D/C)

hydrALAZINE
 oral, tablet 25 mg
 ☞ hydrochlorothiazide, hydrocortisone, hydrOXYzine

hydrochlorothiazide
 oral, tablet 25 mg, 50 mg

☞ hydrALAZINE, hydroxychloroquine
hydrochlorothiazide-triamterene

oral, tablet	25 mg-37.5 mg, 50 mg-75 mg
hydrocortisone ⚠️	
oral, tablet	5 mg, 10 mg, 20 mg
hydrocortisone topical	
rectal, suppository	25 mg
topical, ointment	1% {R: see note}, 2.5%
topical, cream	1% {R: see note}, 2.5%
ⓘ {R} - Restricted for Peds Eczema/Atopic Dermatitis	
hydrocortisone/neomycin/polymyxin B otic	
otic, suspension	1%-0.35%-10000 units/mL
hydrogen peroxide topical	
topical, solution	3% {R: Inpatient Use Only}
HYDROmorphine ⚠️	
oral, tablet	2 mg, 4 mg
rectal, suppository	3 mg
hydroquinone topical	
topical, cream	4%
hydroxychloroquine	
oral, tablet	200 mg
☞ hydrochlorothiazide	
hydrOXYzine ⚠️	
oral, syrup	hydrochloride 10 mg/5 mL
oral, tablet	hydrochloride 10 mg, hydrochloride 25 mg
hyoscyamine	
oral, tablet	0.125 mg
ibuprofen ⚠️	
oral, suspension	100 mg/5 mL
oral, tablet	200 mg {R: age < 16 yrs.}, 400 mg, 800 mg
imipramine	
oral, tablet	10 mg, 25 mg
☞ amitriptyline, desipramine	
imiquimod topical	
topical, cream	5% {R: see note!!}
ⓘ Use for Genital Warts that are small or that have not responded to other treatments, Basal Cell Carcinoma, and Dermatology Use	

indomethacin ⚠️	
oral, capsule	25 mg
insulin aspart	
subcutaneous, solution	100 units/mL
insulin detemir	
subcutaneous, solution	100 units/mL
ⓘ Insulin Detemir will be substituted automatically for all current prescriptions for Lantus/insulin Glargine. All previously approved nonformulary requests for Lantus will be void after October 1st. All patients with such Lantus prescriptions will instead be given insulin detemir, which will be dosed the same as Lantus (eg, Lantus 20 units qhs would be detemir 20 units qhs). Any provider who feels that this switch is not appropriate will need to fill out a new nonformulary drug request. This change applies to inpatient and outpatient Lantus prescribing.	
insulin isophane	
subcutaneous, suspension	human recombinant 100 units/mL
insulin isophane-insulin regular	
subcutaneous, suspension	human recombinant 70 units-30 units/mL
insulin regular	
injectable, solution	human recombinant 100 units/mL
insulin syringe	
other, syringe	1 mL
ⓘ 1mL Syringe w/ Needle, 31GX5/16"	
iodine-potassium iodide	
oral and topical, solution	5%-10%
ipratropium	
inhalation, solution	500 mcg/2.5 mL
inhalation, aerosol	CFC free 17 mcg/inh, 18 mcg/inh
isoflurane	
inhalation, liquid	100%
isoniazid ⚠️	
oral, tablet	100 mg, 300 mg
isosorbide dinitrate ⚠️	
oral, tablet	10 mg, 20 mg
ISotretinoin	
oral, capsule	10 mg {R: Dermatologist Use Only}, 20 mg {R: Dermatologist Use Only}, 40 mg {R: Dermatologist Use Only}
ketorolac ⚠️	

oral, tablet	10 mg {R: see note}	oral, tablet	500 mg {R: Neurology Consult/SZ D/O}
ketorolac ophthalmic		levofloxacin	
ophthalmic, solution	0.5%	oral, tablet	250 mg {See Note}, 500 mg {See Note}, 750 mg {See Note}
labetalol ⚠		☞ ciprofloxacin	
oral, tablet	200 mg	☑ Restricted to Pneumonia/Sepsis	
lactulose		levonorgestrel	
oral, syrup	10 g/15 mL	oral, tablet	1.5 mg
lamiVUDine		levothyroxine ⚠	
oral, tablet	150 mg	oral, tablet	25 mcg (0.025 mg), 50 mcg (0.05 mg), 88 mcg (0.088 mg), 100 mcg (0.1 mg), 125 mcg (0.125 mg), 150 mcg (0.15 mg), 200 mcg (0.2 mg)
☞ lamotrigine, zidovudine		lidocaine topical	
lamiVUDine-zidovudine		mucous membrane, solution	2%
oral, tablet	150 mg-300 mg {See Note}	topical, ointment	5%
☑ For use as BASIC REGIMEN for HIV Post Exposure Prophylaxis		topical, solution	4%
lamoTRigine		topical, gel with applicator	2%
oral, tablet	25 mg {R: See Note}, 100 mg {R: See Note}, 200 mg {R: See Note}	lisinopril	
☞ lamivudine		oral, tablet	2.5 mg {TI: Use 1/2 of 5mg tablet}, 5 mg, 10 mg, 20 mg, 40 mg
☑ Restricted to Mental Health Only		☞ benazepril, enalapril, fosinopril, quinapril, Risperdal	
LANCETS		lithium	
other, test	-	oral, capsule	300 mg
lanolin topical		lopinavir-ritonavir	
topical, ointment	- {R: see note}	oral, tablet	200 mg-50 mg
☑ {R}-Restricted: Discharged breast-feeding mothers		loratadine	
lanolin-mineral oil topical		oral, syrup	5 mg/5 mL
topical, oil	- {Dinnebito clinic use only}	oral, tablet	10 mg
latanoprost ophthalmic		☞ losartan	
ophthalmic, solution	0.005% {R: See Note}	LORazepam ⚠	
☑ Latanoprost is now generic and less expensive than Travaprost (\$1.62 vs \$9.00) but requires refrigeration. Pharmacy would like for patients that are not mail order to be changed to Latanoprost. Ophthalmology will try to switch patients and put new patients who aren't mail order on Latanoprost. Pharmacy can call eye clinic for a verbal order to switch patients if needed. Pharmacy will not automatically switch patients.		oral, tablet	1 mg
leflunomide		losartan	
oral, tablet	10 mg	oral, tablet	25 mg, 50 mg, 100 mg
leucovorin ⚠		☞ loratadine, valsartan	
oral, tablet	5 mg	lovastatin	
levETIRAcetam ⚠		oral, tablet	20 mg, 40 mg
oral, solution	100 mg/mL {R: Neurology Consult/SZ D/O}	☞ Lotensin	

magnesium citrate
 oral, liquid 1.745 g/30 mL {R: see note}
 ☞ **magnesium sulfate**
 ☞ (1) For use in Bowel Preps or for spinal patients on bowel program
 (2) Outpatient pediatrics with documented Obstipation/Encopretic
magnesium hydroxide

magnesium oxide

oral, tablet 400 mg, 420 mg

measles/mumps/rubella virus vaccine

subcutaneous, powder for injection -

mebendazole

oral, tablet, chewable 100 mg

meclizine

oral, tablet 25 mg

medroxyPROGESTERone

intramuscular, suspension 150 mg/mL

oral, tablet 2.5 mg, 10 mg

☞ **methylPREDNISolone**, **metolazone**

megestrol

oral, suspension 40 mg/mL

oral, tablet 40 mg

meningococcal polysaccharide vaccine

subcutaneous, powder for injection single dose

meperidine ⚠

oral, tablet 50 mg

mercaptopurine ⚠

oral, tablet 50 mg

metFORMIN

oral, tablet 500 mg, 850 mg, 1000 mg

oral, tablet, extended release 500 mg

☞ **metronidazole**

methadone

oral, tablet 5 mg

☞ **meperidine**, **methylphenidate**

methimazole

oral, tablet 10 mg

☞ **methazolamide**, **metolazone**

methotrexate ⚠

oral, tablet 2.5 mg

☞ MUST HAVE CBC WITHIN 3 MONTHS OF MEDICATION

FILL PROVIDER MUST BE CONTACTED IF NO LABS AVAILABLE.

methyl salicylate topical

topical, ointment - {R: Inpatient Use Only}

methyldopa ⚠

oral, tablet 250 mg, 500 mg

methylergonovine

oral, tablet 0.2 mg

methylphenidate ⚠

oral, tablet 5 mg, 10 mg

oral, tablet, extended release 18 mg/24 hr, 20 mg/8 hr, 36 mg/24 hr

methylPREDNISolone ⚠

oral, tablet 4 mg

metoclopramide ⚠

oral, syrup 5 mg/5 mL

oral, tablet 10 mg

metolazone

oral, tablet 2.5 mg

metoprolol ⚠

oral, tablet 50 mg

oral, tablet, extended release 25 mg, 50 mg, 100 mg

metroNIDAZOLE ⚠

oral, tablet 250 mg

metroNIDAZOLE topical

topical, gel 1% {R}

vaginal, gel with applicator 0.75%

☞ For patients with Rosacea

minocycline

oral, capsule 50 mg {R: For Dermatology Only}

mirtazapine

oral, tablet 15 mg, 30 mg

misoprostol

oral, tablet 200 mcg


 **metoprolol, mifepristone**

mometasone

inhalation, aerosol powder 110 mcg/inh, 220 mcg/inh

montelukast

oral, tablet, chewable 4 mg, 5 mg, 10mg

morphine 


oral, solution 10 mg/5 mL
 oral, tablet 10 mg, 30 mg
 oral, tablet, extended release 15 mg/12 hr, 30 mg/12 hr

multivitamin

oral, tablet Multiple Vitamins {R}


multivitamin with fluoride

oral, tablet, chewable Multiple Vitamins with Fluoride 0.25 mg {R}

 **Restricted to kids 2 years and older ONLY with documented Microctosis. This agent will only be dispensed for a 30 day supply with refills available**

multivitamin with iron

oral, tablet, chewable Multiple Vitamins with Iron {R: See Note...}

 **Restricted to kids 2 years and older ONLY with documented Microctosis. This agent will only be dispensed for a 30 day supply with refills available**

multivitamin with iron and fluoride

oral, liquid Multiple Vitamins with Iron and Fluoride 0.25 mg/mL



Chewable MultiVitamins w/ Fluoride and Iron has been **removed** from the Formulary because they are no longer being made.

multivitamin, prenatal

oral, tablet Prenatal Multivitamins with Folic Acid 1 mg

mupirocin topical

topical, ointment 2%

mycophenolate mofetil

oral, capsule 250 mg
 oral, tablet 500 mg

 **meclofenamate**

nabumetone

oral, tablet 500 mg

naphazoline-pheniramine ophthalmic

ophthalmic, solution 0.027%-0.315% {R}

Restricted to Eye Providers, Group

Home use, High School Clinic use and

Dinnebito Clinic use only

naproxen

oral, suspension 125 mg/5 mL
 oral, tablet 250 mg

nelfinavir

oral, tablet 250 mg

 **nefazodone, nevirapine**

neomycin 

oral, tablet 500 mg

neomycin-polymyxin B sulfate topical

irrigation, solution 40 mg-200000 units/mL

niacin

oral, tablet, extended release 500 mg, 1000 mg

 **Niaspan ER, Niaspan ER Starter Pack**

NIFEdipine

oral, capsule 10 mg
 oral, tablet, extended release 30 mg

 **felodipine, niCARDipine, nimodipine**

nitrofurantoin

oral, suspension 25 mg/5 mL
 oral, capsule macrocrystals 50 mg,
 macrocrystals-monohydrate 100 mg

nitroglycerin 

sublingual, tablet 0.4 mg
 transdermal, ointment 2%

norethindrone

oral, tablet 0.35 mg {Nor-QD}


nortriptyline

oral, capsule 10 mg, 25 mg

 **amitriptyline, desipramine, Norpramin**

nystatin 

oral, suspension 100000 units/mL

ocular lubricant 

ophthalmic, ointment - {R: see note}
 ophthalmic, solution - {R: see note}, preserved {R: see note}

Artificial Tears, Tears Renewed, AKWA Tears, Tears Again (ocular lubricant)
 ASHP has recently posted a shortage pertaining to this drug. Please view the link for further details to see if this applies to your facility.

<http://www.ashp.org/Import/PRACTICEANDPOLICY/PracticeResourceCenters/DrugShortages/GettingStarted/CurrentShortages/Bulletin.aspx?id=626>

☒ Eye Clinic, Bells Palsy (any CN VII palsy,paralysis, paresis) w/ Eye Clinic Referral, Group Home and Dinnebito Clinic use only

OLANzapine

oral, tablet 5 mg, 10 mg

☒ **oxcarbazepine**

olopatadine ophthalmic

ophthalmic, solution 0.1% {R: See Comments}

☒ Patanol is **restricted** to the **Eye and Pediatric Clinics**. Pediatric providers may only prescribe for patients age **3-16 yo**.

omeprazole

oral, delayed release capsule 20 mg {R: see note}

☒ **esomeprazole**

☒ New prescriptions of Omeprazole are RESTRICTED to patients who have failed an adequate trial of ranitidine. Providers believing patients should not first be tried on ranitidine must so indicate when making an initial prescription of Omeprazole. An initial dose of Ranitidine 300mg BID for a period of time before decreasing to once daily is closer to the omeprazole acid suppression capabilities. Treatment for H.Pylori is acceptable use of Omeprazole.

ondansetron ⚠

oral, tablet, disintegrating 4 mg {R: See Note}

Ondansetron 4mg ODT is restricted for

IN-HOUSE use only for all *Cancer*

Patients and Pediatric Patients 16 yr or younger.

ophthalmic irrigation, intraocular

ophthalmic, solution Balanced Salt Solution

ORAL DOSING SYRINGE

oral, other 10 ml, 20 ml

oseltamivir ⚠

oral, capsule 75 mg {R: SEE COMMENTS}

oral, powder for reconstitution 12 mg/mL {R: SEE COMMENTS}



Oseltamivir Phosphate Oral Suspension (oseltamivir)
 ASHP has recently posted a shortage pertaining to this drug. Please view the link for further details to see if this applies to your facility.

<http://www.ashp.org/DrugShortages/Current/Bulletin.aspx?id=717>

☒ Restricted for hospitalized patients. **Tamiflu must not be used for prophylaxis**. Providers who encounter patients with flu A+, symptoms onset within 48 hours, and has a high potential for complications but are **not** hospitalized **MUST** fill out a Non-Formulary Request form for further review and a Approval or Denial for use will be determined.

oxybutynin

oral, tablet 5 mg

☒ **OxyContin**

oxymetazoline nasal

nasal, solution 0.05% {R}

pancrelipase

oral, capsule 8000 units-30,000 units-30,000 units

PARoxetine

oral, tablet 20 mg

☒ **fluoxetine, paclitaxel, pyridoxine**

penicillin ⚠

oral, powder for reconstitution V potassium 250 mg/5 mL

oral, tablet V potassium 250 mg

pentoxifylline

oral, tablet, extended release 400 mg

permethrin topical

topical, cream 5%

Restricted to inpatient, High School, Dennibito. Group home.

phenazopyridine

oral, tablet 100 mg

☒ **promethazine**

PHENobarbital ⚠

oral, elixir 20 mg/5 mL

oral, tablet 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg

phenylephrine ophthalmic ⚠

ophthalmic, solution 2.5%, 10%

phenytoin ⚠️

oral, suspension	25 mg/mL
oral, capsule, extended release	100 mg
oral, tablet, chewable	50 mg

physostigmine

injectable, solution	1 mg/mL
----------------------	---------

☞ **pyridostigmine**

phytonadione ⚠️

oral, tablet	5 mg
--------------	------

pilocarpine ophthalmic

ophthalmic, solution	1%, 2%
----------------------	--------

pioglitazone

oral, tablet	30 mg {R}, 45 mg {R}
--------------	----------------------

ⓘ **No new starts unless tried metformin and sulfonylurea or contraindicated. Pts currently on pioglitazone and have achieved a target A1C less than 8 may continue**
Patients on 45mg for 6 months or more and A1C greater than 8 will be d/c. Call providers prior to d/c

piroxicam

oral, capsule	20 mg
---------------	-------

pneumococcal 23-valent vaccine

injectable, solution	-
----------------------	---

☞ **pneumococcal 7-valent vaccine**

polyethylene glycol 3350

oral, powder for reconstitution	- {R: to pediatric patients}
---------------------------------	------------------------------

polyethylene glycol 3350 with electrolytes

oral, powder for reconstitution	-
---------------------------------	---

polymyxin B-trimethoprim ophthalmic

ophthalmic, solution	10000 units-1 mg/mL
----------------------	---------------------

potassium chloride ⚠️

oral, powder for reconstitution	20 mEq
oral, tablet, extended release	8 mEq, 20 mEq

potassium citrate

oral, tablet, extended release	10 mEq
--------------------------------	--------

☞ **potassium chloride**

potassium iodide

oral, solution	1 g/mL
----------------	--------

potassium phosphate-sodium phosphate

oral, tablet	250 mg-45 mg-298 mg
--------------	---------------------

pramipexole

oral, tablet	0.25 mg, 1 mg, 1.5 mg
--------------	-----------------------

prazosin

oral, capsule	1 mg, 2 mg, 5 mg
---------------	------------------

☞ **terazosin**

prednisoLONE ⚠️

oral, syrup	15 mg/5 mL
-------------	------------

prednisoLONE ophthalmic

ophthalmic, suspension	acetate 0.12% {R: For Eye Clinic Use Only}, acetate 1% {R: Eye Clinic Use Only}
------------------------	---

ⓘ **Restricted to Eye Clinic**

predniSONE ⚠️

oral, tablet	1 mg, 5 mg, 20 mg
--------------	-------------------

primidone

oral, tablet	50 mg, 250 mg
--------------	---------------

☞ **predniSONE**

probenecid

oral, tablet	500 mg
--------------	--------

☞ **Procanbid**

prochlorperazine ⚠️

oral, tablet	5 mg
rectal, suppository	25 mg

progesterone

oral, capsule	200 mg
---------------	--------

promethazine ⚠️

oral, tablet	12.5 mg, 25 mg
rectal, suppository	25 mg

proparacaine ophthalmic

ophthalmic, solution	0.5%
----------------------	------

☞ **pilocarpine**

propranolol

oral, solution	20 mg/5 mL
oral, tablet	10 mg, 20 mg, 40 mg

☞ **Pravachol, Propulsid**

propylthiouracil

oral, tablet	50 mg
--------------	-------

pyrazinamide	oral, tablet	500 mg
pyridostigmine		
pyridoxine	oral, tablet	50 mg
QUetiapine	oral, tablet	25 mg, 200 mg
ranitidine	oral, syrup	15 mg/mL
	oral, tablet	150 mg
reserpine	oral, tablet	0.1 mg
rifampin	oral, capsule	300 mg
risperiDONE	oral, tablet	0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg
		biperiden, reserpine, risedronate, Risperdal, ropinirole
ritonavir	oral, solution	80 mg/mL
	oral, capsule	100 mg
		Retrovir
rosuvastatin	oral, tablet	20 mg
		Automatic switch: Atorvastatin 40mg and 80mg will automatically be switched to rosuvastatin 20mg
salmeterol	inhalation, powder	50 mcg
salsalate	oral, tablet	750 mg
		sulfasalazine
saquinavir	oral, capsule	mesylate 200 mg
selegiline	oral, tablet	5 mg
sertraline	oral, tablet	50 mg {see note}, 100 mg {see note}
		selegiline, Serentil, Seroquel, Serzone, Soriatane
sevelamer		

	oral, tablet	400 mg, 800 mg
sevoflurane	inhalation, liquid	100%
SHARP CONTAINER, EMPTY	oral, other	-
silver sulfADIAZINE topical	topical, cream	1%
simethicone	oral, tablet, chewable	80 mg {R: Inpt, Grp.Home, Dinnebito}
simvastatin	oral, tablet	10 mg, 20 mg, 40 mg, 80 mg
sodium bicarbonate	oral, tablet	650 mg {R: Renal Insuff./Failure}
sodium biphosphate-sodium phosphate	rectal, enema	7 g-19 g {R: see note}
	{R}-Restricted:	For use in bowel preps, or in spinal patients on bowel program
sodium chloride	inhalation, solution	0.9%
sodium polystyrene sulfonate	oral, suspension	15 g/60 mL
sodium polystyrene sulfonate with sorbital	oral, solution	15 g/60 mL
spironolactone	oral, tablet	25 mg
sucralfate	oral, suspension	1 g/10 mL
	oral, tablet	1 g
sulfacetamide sodium ophthalmic	ophthalmic, solution	10%
sulfamethoxazole-trimethoprim	oral, suspension	200 mg-40 mg/5 mL
	oral, tablet	800 mg-160 mg
sulfaSALazine		

oral, delayed release tablet	500 mg
☞ mesalamine, salsalate, sulfADIAZINE, sulfiSOXAZOLE	
sulfISOXAZOLE	
oral, suspension	500 mg/5 mL
☞ sulfasalazine	
sulindac	
oral, tablet	200 mg
SUMAtriptan	
nasal, spray	20 mg/inh
oral, tablet	25 mg, 50 mg
subcutaneous, solution	6 mg/0.5 mL
subcutaneous, kit	6 mg/0.5 mL
☞ zolmitriptan	
tacrolimus	
oral, capsule	0.5 mg, 1 mg, 5 mg
temazepam	
oral, capsule	15 mg
☞ flurazepam, lorazepam, oxazepam	
tenecteplase	
intravenous, powder for injection	50 mg {R: Emergency Dept Use Only}
terazosin	
oral, capsule	1 mg, 2 mg, 5 mg, 10 mg
☞ doxazosin, prazosin	
terbinafine	
oral, tablet	250 mg
terbutaline ⚠	
oral, tablet	2.5 mg, 5 mg
terconazole topical	
vaginal, cream	0.4%
testosterone ⚠	
intramuscular, solution	cypionate 200 mg/mL, enanthate 200 mg/mL
⚠	
Testosterone Cypionate (testosterone cypionate) ASHP has recently posted a shortage pertaining to this drug. Please view the link for further details to see if this applies to your facility. http://www.ashp.org/DrugShortages/Current/Bulletin.aspx?id=638	
tetanus immune globulin	
intramuscular, solution	250 units
tetanus/diphth/pertuss (Tdap) adult/adol	

intramuscular, suspension	5 units-2 units-15.5 mcg/0.5 mL
tetanus-diphth toxoids (Td) adult/adol ⚠	
intramuscular, suspension	5 units-2units/0.5 mL
⚠ PRODUCT IS ON A SHORT TERM BACKORDER. PHARMACY IS CURRENTLY LOOKING FOR OTHER RESOURCES.	
tetracaine ophthalmic	
ophthalmic, solution	0.5%
tetracycline ⚠	
oral, capsule	250 mg
theophylline	
oral, tablet, extended release	100 mg, 200 mg
thiamine	
oral, tablet	100 mg {R: Inpt, Grp.Home, Dinnebito}
☞ Tenormin	
thrombin topical	
topical, powder for reconstitution	5000 units
timolol ophthalmic	
ophthalmic, solution	0.5%
tobramycin ophthalmic	
ophthalmic, ointment	0.3%
ophthalmic, solution	0.3%
tolterodine	
oral, tablet	2 mg {R: see note}
☞ tolcapone	
⚠ Restricted to OB use as 2nd line agent	
topiramate	
oral, tablet	25 mg, 100 mg, 200 mg
☞ torsemide	
traMADol	
oral, tablet	50 mg
☞ Toradol, trandolapril, trazodone, Voltaren	
travoprost ophthalmic	
ophthalmic, solution	0.004%
traZODone	
oral, tablet	50 mg, 100 mg
☞ amiodarone, tramadol	
tretinoin topical	
topical, cream	0.05%, 0.1%

topical, gel	0.025%
triamcinolone	
inhalation, aerosol with adapter	100 mcg/inh {TI}
triamcinolone topical	
mucous membrane, paste	0.1%
topical, ointment	0.1%
topical, cream	0.1%, 0.5%
triamterene	
oral, capsule	50 mg
☞ trimethoprim	
trifluoperazine	
oral, tablet	2 mg
☞ fluphenazine, trihexyphenidyl	
trifluridine ophthalmic	
ophthalmic, solution	1%
trihexyphenidyl	
oral, tablet	2 mg
☞ trifluoperazine	
tropicamide ophthalmic	
ophthalmic, solution	1%
urea topical	
topical, cream	10% {R: For Diabetic Foot}
☞ For Inpatient, Group Home and Dinnebito Clinic use (Diabetic Foot Only).	
ursodiol	
oral, capsule	300 mg
valproic acid ⚠	
oral, syrup	250 mg/5 mL
oral, capsule	250 mg
varicella virus vaccine	
subcutaneous, powder for injection	- {R: VFC Only}
venlafaxine	
oral, capsule, extended release	75 mg, 150 mg
oral, tablet	75 mg
verapamil ⚠	
oral, tablet	80 mg
oral, tablet, extended release	180 mg/12 hours, 240 mg/12 hours

warfarin

oral, tablet 1 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg, 10 mg

zafirlukast

oral, tablet 20 mg {R: see note}

☞ Restricted to compliant patients on multiple MDI's

zidovudine

oral, syrup 50 mg/5 mL {R: See Note}

oral, capsule 100 mg

☞ lamivudine, zidovudine-lamivudine, ziprasidone

☞ Restricted to NeoNatal Prophylaxis as dosed at 12mg/kg PO x 3 doses

ziprasidone

oral, capsule 20 mg, 40 mg, 60 mg, 80 mg

☞ zidovudine

zolpidem

oral, tablet 5 mg, 10 mg

☞ zaleplon